Parasite Immunology 1993: **15**: 701–706

Author index to Volume 15

Abe, T., Sugaya, H. & Yoshimura, K. Brief communication. Different susceptibility to the IL-3 induced-protective effects between *Strongyloides ratti* and *Nippostrongylus brasiliensis* in C57BL/6 mice 643

Agnew, A.M., Murare, H.M. & Doenhoff, M.J. Immune attrition of adult schistosomes 261

Ahlborg, N., Wåhlin Flyg, B., Iqbal, J., Perlmann, P. & Berzins, K. Epitope specificity and capacity to inhibit parasite growth in vitro of human antibodies to repeat sequences of the *Plasmodium falciparum* antigen Ag332 391

Alexander, J. *see* Blackwell, J.M.

Anders, R. *see* Venn, A.

Anderson, R.M. *see* Schweitzer, A.N.

Araujo-Jorge, T.C., El Bouhdidi, A., Rivera, M.-T., Daëron, M. & Carlier, Y. *Trypanosoma cruzi* infection in mice enhances the membrane expression of low-affinity Fc receptors for IgG and the release of their soluble forms 539

Asahi, H. *see* Kanazawa, T.

Asano, K., Ito, A. & Okamoto, K.-I. The role of $OX22^-$ helper T cells in protective immunity to reinfection with *Taenia taeniaeformis* in rats 663

Auladell, C. *see* Sanchez, F.

Authié, E., Muteti, D.K. & Williams, D.J.L. Antibody responses to invariant antigens of *Trypanosoma congolense* in cattle of differing susceptibility to trypanosomiasis 101

Authié, E., Duvallet, G., Robertson, C. & Williams, D.J.L. Antibody responses to a 33 kDA cysteine protease of *Trypanosoma congolense*: relationship to 'trypanotolerance' in cattle 465

Baccam, D. *see* Motard, A.

Baird, A.W. *see* O'Malley, K.E.

Baldwin, C.I. *see* Kar, S.K.

Baldwin, C.I., De Medeiros, F. & Denham, D.A. IgE responses in cats infected with *Brugia pahangi* 291

Bancroft, A. & Devaney, E. The analysis of the humoral response of the BALB/c mouse immunized with radiation attenuated third stage larvae of *Brugia pahangi* 153

Bancroft, A. *see* Devaney, E.

Bashir, M.E.N. *see* Bushara, H.O.

Bate, C.A.W. *see* Jakobsen, P.H.

Baumeister, S. *see* Dennis, R.D.

Befus, A.D. *see* Bissonnette, E.Y.

Befus, D. *see* Ramaswamy, K.

Behnke, J.M. *see* Wahid, F.N.

Behnke, J.M., Wahid, F.N., Grencis, R.K., Else, K.J., Ben-Smith, A.W. & Goyal, P.K. Immunological relationships during primary infection with *Heligmosomoides polygyrus* (*Nematospiroides dubius*): downregulation of specific cytokine secretion (IL-9 and IL-10) correlates with poor mastocytosis and chronic survival of adult worms 415

Ben-Smith, A.W. *see* Behnke, J.M.

Berzins, K. *see* Ahlborg, N.

Berzins, K. *see* Sjölander, A.

Bianco, A.E. *see* Needham, C.S.

Bilsborough, J. *see* Good, M.F.

Bissonnette, E.Y., Rossignol, P.A. & Befus, A.D. Extract of mosquito salivary gland inhibit tumour necrosis factor alpha release from mast cells 27

Blackman, M.J. *see* Riley, E.M.

Blackwell, J.M., Roberts, C.W. & Alexander, J. Influence of genes within MHC on mortality and brain cyst development in mice infected with *Toxoplasma gondii*: kinetics of immune regulation in BALB H-2 congenic mice 317

Boid, R. *see* Preston, P.M.

Boulandi, J. *see* Mshana, R.N.

Bovay, P. *see* Rivier, D.

Brennan, L.R., McClean, S.A. & Phillips, R.S. Antigenic variants of *Plasmodium chabaudi chabaudi* AS and the effects of mosquito transmission 135

Britton, C., Canto, G.J., Urquhart, G.M. & Kennedy, M.W. Characterization of excretory-secretory products of adult *Dictyocaulus viviparus* and the antibody response to them in infection and vaccination 163

Britton, C., Canto, G.J., Urquhart, G.M. & Kennedy, M.W. Stage-specific antigens of the cattle lungworm *Dictyocaulus viviparus* 625

Brown, A. & Pritchard, D.I. The immunogenicity of hookworm (*Necator americanus*) acetylcholinesterase (AChE) in man 195

Brown, C.G.D. *see* Preston, P.M.

Bundy, D.A.P. *see* Needham, C.S.

Burchard, G.D. *see* Hamelmann, B.

Bushara, H.O., Bashir, M.E.N., Malik, K.H.E., Mukhtar, M.M., Trotten, F., Capron, A. & Taylor, M.G. Suppression of *Schistosoma bovis* egg production in cattle by vaccination with either glutathione S-transferase or keyhole limpet haemocyanin 383

Butterworth, A.E. *see* Dunne, D.W.

Canto, G.J. *see* Britton, C.

Cappuccinelli, P. *see* Fiori, P.L.

Capron, A. *see* Bushara, H.O.

Cardenosa, N. *see* Sánchez, F.

Carlier, Y. *see* Araujo-Jorge, T.C.

Carlier, Y. *see* Metz, G.

Carnegie, R.L. *see* Greene, W.K.

Cedillo-Baron, L. *see* Legorreta-Herrara, M..

Chatterjee, S. *see* Chauhan, V.S.

Chauhan, V.S., Chatterjee, S. & Johar, P.K. Brief com-

munication. Synthetic peptides based on conserved *Plasmodium falciparum* antigens are immunogenic and protective against *Plasmodium yoelii* malaria 239
Clark, M. *see* Dunne, D.W.
Coffman, R.L. *see* Parsons, J.C.
Coll, P. *see* Sánchez, F.
Cordingley, J.S. *see* Trzyna, W.C.
Costantino, S.N. *see* Venturiello, S.M.
Coulson, P.S. *see* Pemberton, R.M.
Currier, J. *see* Good, M.F.

Daëron, M. *see* Araujo-Jorge, T.C.
Darji, A. *see* Magez, S.
De Baetselier, P. *see* Magez, S.
De Cassia Ruiz, R., Rigoni, V.L., Gonzalez, J. & Yoshida, N. Brief communication. The 35/50 kDa surface antigen of *Trypanosoma cruzi* metacyclic trypomastigotes, an adhesion molecule involved in host cell invasion 121
De Medeiros, F. *see* Baldwin, C.I.
Denham, D.A. *see* Baldwin, C.I.
Denham, D.A. *see* Kar, S.K.
Denham, D.A. *see* Lawrence, R.A.
Dennis, R.D., Baumeister, S., Irmer, G., Gasser, R.B. & Geyer, E. Chromatographic and antigenic properties of *Echinococcus granulosus* hydatid cyst-derived glycolipids 669
Devaney, E. *see* Bancroft, A.
Devaney, E., Bancroft, A. & Egan, A. Brief communication. The effect of irradiation on the third stage larvae of *Brugia pahangi* 423
Di Prisco, M.C. *see* Hagel, I.
Didier, J.M. *see* Needham, C.S.
Doenhoff, M.J. *see* Agnew, A.M.
Doenhoff, M.J. *see* Hassounah, O.A.
Dunne, D.W., Richardson, B.A., Jones, F.M., Clark, M., Thorne, K.J.I. & Butterworth, A.E. Brief communication. The use of mouse/human chimaeric antibodies to investigate the roles of different antibody isotypes, including IgA2, in the killing of *Schistosoma mansoni* schistosomula by eosinophils 181
Duvallet, G. *see* Authié, E.

Edmonds, P. *see* Pritchard, D.I.
Edmonds, P. *see* Shakib, F.
Egan, A. *see* Devaney, E.
El Bouhdidi, A. *see* Araujo-Jorge, T.C.
Else, K.J. *see* Grencis, R.K.
Else, K.J. *see* Wakelin, D.
Else, K.J. *see* Behnke, J.M.
Else, K.J., Entwistle, G.M. & Grencis, R.K. Brief communication. Correlations between worm burden and markers of Th1 and Th2 cell subset induction in an inbred strain of mouse infected with *Trichuris muris* 595
Entrican, G. *see* Oura, C.A.L.
Entrican, G. *see* Preston, P.M.
Entwistle, G.M. *see* Else, K.J.

Fairbridge, D. *see* Venn, A.
Favila-Castillo, L. *see* Legorreta-Herrara, M.
Fiallos-Leon, C. *see* Legorreta-Herrara, M.
Fiori, P.L., Rappelli, P., Mirkarimi, S.N., Ginsberg, H., Cappuccinelli, P. & Turrini, F. Reduced microbicidal and anti-tumour activities of human monocytes after ingestion of *Plasmodium falciparum*-infected red blood cells 647
Flynn, J.N. & Sileghem, M. Immunosuppression in trypanotolerant N'Dama cattle following *Trypanosoma congolense* infection 547
Foerster, B. *see* Hamelmann, B.
Foster-Cuevas, M. *see* Legorreta-Herrara, M.
Frankenburg, S., Kofsky, Y. & Gross, A. *In vitro* secretion of cytokines by human mononuclear cells of individuals during and after cutaneous leishmaniasis infection 509

Garcia, J. *see* Sanchez, F.
Garside P. *see* Hagan, P.
Gasser, R.B. *see* Dennis, R.D.
Geyer, E. *see* Dennis, R.D.
Giambartolomei, G.H. *see* Venturiello, S.M.
Gill, H.S., Gray, G.D., Watson, D.L. & Husband, A.J. Isotype-specific antibody responses to *Haemonchus contortus* in genetically resistant sheep 61
Ginsberg, H. *see* Fiori, P.L.
Gold, D. *see* Seger, M.
Gonzalez, J. *see* De Cassia Ruiz, R.
Good, M.F., Zevering, Y., Currier, J. & Bilsborough, J. Point of view. 'Original antigenic sin,' T cell memory, and malaria sporozoite immunity: an hypothesis for immune evasion 187
Goyal, P.K. *see* Behnke, J.M.
Grau, G. *see* Motard, A.
Gray, G.D. *see* Gill, H.S.
Greene, W.K., Carnegie, R.L., Shaw, S.E., Thompson, R.C.A. & Penhale, W.J. Characterization of allergens of the cat flea, *Ctenocephalides felis*: detection and frequency of IgE antibodies in canine sera 69
Greenwood, B.M. *see* Riley, E.M.
Grencis, R.K. *see* Wakelin, D.
Grencis, R.K., Else, K.J., Huntley, J.F. & Nishikawa, S.I. Brief communication. The in vivo role of stem cell factor (c-*kit* ligand) on mastocytosis and host protective immunity to the intestinal nematode *Trichinella spiralis* in mice 55
Grencis, R.K. *see* Behnke, J.M.
Grencis, R.K. *see* Else, K.J.
Grieve, R.B. *see* Parsons, J.C.
Gross, A. *see* Frankenburg, S.

Hagan, P. Points of view. IgE and protective immunity to helminth infections 1
Hagan, P., Garside, P. & Kusel, J.R. Point of view. Is tumour necrosis factor α the molecular basis of concomitant immunity in schistosomiasis? 553
Hagel, I., Lynch, N.R., Pérez, M., Di Prisco, M.C., López,

R. & Rojas, E. Modulation of the allergic reactivity of slum children by helminthic infection 311
Hamelmann, C., Foerster, B., Burchard, G.D., Shetty, N. & Horstmann, R.D. Induction of complement resistance in cloned pathogenic *Entamoeba histolytica* 223
Hamers, R. *see* Magez, S.
Hansen, M.B. *see* Jakobsen, P.H.
Hansson, M. *see* Sjölander, A.
Hassounah, O.A. & Doenhoff, M.J. Comparison of the hepatoprotective effects of immune cells and serum in *Schistosoma mansoni*-infected immunosuppressed mice 657
Hata, H. *see* Kanazawa, T.
Havercroft, J.C. & Smith, A.L. Localization of the A1.12/9 antigen family to the neurones, putative sensory receptors and tegument of *Schistosoma mansoni* 361
Hesketh, P. *see* Wakelin, D.
Higuchi, S. *see* Ushio, H.
Holder, A.A. *see* Riley, E.M.
Horii, Y., Khan, A.I. & Nawa, Y. Persistent infection of *Strongyloides venezuelensis* and normal expulsion of *Nippostrongylus brasiliensis* in Mongolian gerbils, *Meriones unguiculatus*, with reference to the cellular responses in the intestinal mucosa 175
Horii, Y. *see* Khan, A.I.
Horstmann, R.D. *see* Hamelmann, B.
Huntley, J.F. *see* Grencis, R.K.
Husband, A.J. *see* Gill, H.S.

Iglesias, R., Leiro, J., Ubeira, F.M., Santamarina, M.T. & Sanmartin, M.L. *Anisakis simplex*: antigen recognition and antibody production in experimentally infected mice 243
Innes, E.A. *see* Oura, C.A.L.
Iqbal, J. *see* Ahlborg, N.
Irmer, G. *see* Dennis, R.D.
Ishida, K. *see* Sasaki, O.
Ito, A. *see* Asano, K.

Jaffe, C.L. *see* Lytton, S.D.
Jakobsen, P.H., Moon, R., Ridley, R.G., Bate, C.A.W., Taverne, J., Hansen, M.B., Takacs, B., Playfair, J.H.L. & McBridge, J.S. Tumour necrosis factor and interleukin-6 production induced by components associated with merozoite proteins of *Plasmodium falciparum* 229
Johar, P.K. *see* Chauhan, V.S.
Jones, F.M. *see* Dunne, D.W.
Jones, G.L. *see* Lord, R.
Joyce, P. *see* O'Malley, K.E.

Kagei, N. *see* Kanazawa, T.
Kamau, T. *see* Kimani, G.
Kanazawa, T., Asahi, H., Hata, H., Mochida, K., Kagei, N. & Stadecker, M.J. Argenine-dependent generation of reactive nitrogen intermediates is instrumental in the *in vitro* killing of protoscoleces of *Echinococcus multilocularis* by activated macrophages 619
Kar, S.K., Mania, J., Baldwin, C.I. & Denham, D.A. Brief communication. The sheath of the microfilaria of *Wuchereria bancrofti* has albumin and immunoglobulin on its surface 297
Keisari, Y. *see* Seger, M.
Kennedy, M.W. *see* Britton, C.
Khan, A.I. *see* Horii, Y.
Khan, A.I., Horii, Y. & Nawa, Y. Defective mucosal immunity and normal systemic immunity of Mongolian gerbils, *Meriones unguiculatus*, to reinfection with *Strongyloides venezuelensis* 565
Kierszenbaum, F. *see* Lopez, H.M.
Kimani, G., Mkoji, G.M., Rashid, J.R., Mbugua, J.M., Koech, D., Kamau, T. & Mungai, B. Enhancement of eosinophil-mediated cytotoxicity to schistosomula of *Schistosoma mansoni* by autologous mononuclear cells from patients 251
Kiso, Y. *see* Ushio, H.
Knopf, P.M., Petzke, M.M. & McLaren, D.J. Immobilization of *Schistosoma mansoni* miracidia by activation of the alternative complement pathway at unusually high serum dilution 325
Koech, D. *see* Kimani, G.
Kofsky, Y. *see* Frankenburg, S.
Kubota, S. *see* Zhuang, W.Z.
Kumar, S. *see* Pritchard, D.I.
Kumar, S. *see* Shakib, F.
Kusel, J.R. *see* Hagan, P.

Landau, I. *see* Motard, A.
Lawrence, R.A. & Denham, D.A. Stage and isotype specific immune responses in a rat model of filariasis 429
Legorreta-Herrara, M., Fiallos-Leon, C., Cedillo-Baron, L., Martinez-Gomez, F., Foster-Cuevas, M. & Favila-Castillo, L. Anti-Thy-1 treated and irradiated spleen cells from (BALB/cXC57BI/6) F1 mice infected with *Plasmodium chabaudi chabaudi* can transfer protection into irradiated hosts 143
Leiro, J. *see* Iglesias, R.
Lengy, J. *see* Seger, M.
Lillywhite, J.E. *see* Needham, C.S.
Lopez, H.M., Tanner, M.K., Kierszenbaum, F. & Sztein, M.B. Alterations induced by *Trypanosoma cruzi* in activated mouse lymphocytes 273
López, R. *see* Hagel, I.
Lord, R., Jones, G.L., Spencer, L. & Saul, A. Mice immunized with a synthetic peptide construct corresponding to an epitope present on a *Plasmodium falciparum* antigen are protected against *Plasmodium chabaudi* challenge 613
Lövgren, K. *see* Sjölander, A.
Lucas, R. *see* Magez, S.
Lynch, N.R. *see* Hagel, I.
Lytton, S.D., Mozes, E. & Jaffe, C.L. Brief communication. Effect of macrophage infection by *Leishmania* on the proliferation of an antigen-specific T-cell line, TPB1, to a non-parasite antigen 489

Magez, S., Lucas, R., Darji, A., Songa, E.B., Hamers, R. & De Baetselier, P. Murine tumour necrosis factor plays a protective role during the initial phase of the experimental infection with *Trypanosoma brucei brucei* 635
Malik, K.H.E. *see* Bushara, H.O.
Mania, J. *see* Kar, S.K.
Marbrook, J. *see* Venn, A.
March, F. *see* Sánchez, F.
Martinez-Gomez, F. *see* Legorreta-Herrara, M.
Mason, T. *see* Venn, A.
Matile, H. *see* Suss, G.
Matsuda, H. *see* Ushio, H.
Mauel, J. *see* Rivier, D.
Mayombo, J. *see* Mshana, R.N.
Mazier, D. *see* Motard, A.
Mbugua, J.M. *see* Kimani, G.
McBridge, J.S. *see* Jakobsen, P.H.
McClean, S.A. *see* Brannan, L.R.
McLaren, D.J. *see* Knopf, P.M.
McLintock, L.M.L., Turner, C.M.R. & Vickerman, K. Comparison of the effects of immune killing mechanisms on *Trypanosoma brucei* parasites of slender and stumpy morphology 475
Meloen, R.H. *see* Süss, G.
Mendome, G. *see* Mshana, R.N.
Metz, G., Carlier, Y. & Vray, B. *Trypanosoma cruzi* upregulates nitric oxide release by IFN-γ-preactivated macrophages, limiting cell infection independently of the respiratory burst 693
Mirkarimi, S.N. *see* Fiori, P.L.
Mkoji, G.M. *see* Kimani, G.
Mochida, K. *see* Kanazawa, T.
Moon, R. *see* Jakobsen, P.H.
Morris-Jones, S. *see* Riley, E.M.
Motard, A., Landau, I., Nussler, A., Grau, G., Baccam, D., Mazier, D. & Targett, G.A.T. The role of reactive nitrogen intermediates in modulation of gametocyte infectivity of rodent malaria parasites 21
Mozes, E. *see* Lytton, S.D.
Mshana, R.N., Boulandi, J., Mayombo, J. & Mendome, G. In vitro lymphoproliferative responses to malaria antigens: a prospective study of residents of a holoendemic area with perennial malaria transmission 35
Mukhtar, M.M. *see* Bushara, H.O.
Mungai, B. *see* Kimani, G.
Muñoz, C. *see* Sánchez, F.
Murare, H.M. *see* Agnew, A.M.
Murray, L. *see* Venn, A.
Muteti, D.K. *see* Authié, E.

Nawa, Y. *see* Horii, Y.
Nawa, Y. *see* Khan, A.I.
Needham, C.S., Lillywhite, J.E., Didier, J.M., Bianco, A.E. & Bundy, D.A.P. Age-dependency of serum isotype responses and antigenic recognition in human whipworm (*Trichuris trichiura*) infection 683
Nishikawa, S.I. *see* Grencis, R.K.
Nussler, A. *see* Motard, A.

O'Malley, K.E., Sloan, T., Joyce, P. & Baird, A.W. Type I hypersensitivity reactions in intestinal mucosae from rats infected with *Fasciola hepatica* 449
Okamoto, K.-I. *see* Asano, K.
Onuma, M. *see* Zhuang, W.Z.
Oura, C.A.L., Innes, E.A., Wastling, J.M., Entrican, G. & Panton, W.R.M. The inhibitory effect of ovine recombinant interferon-gamma on intracellular replication of *Toxoplasma gondii* 535

Panton, W.R.M. *see* Oura, C.A.L.
Parsons, J.C., Coffman, R.L. & Grieve, R.B. Antibody to interleukin 5 prevents blood and tissue eosinophilia but not liver trapping in murine larval toxocariasis 501
Pauli, H. *see* Seger, M.
Pemberton, R.M., Coulson, P.S., Smythies, L.E. & Wilson, R.A. Phenotypic and functional properties of Th lines and clones recognizing larval antigens of *Schistosoma mansoni* 373
Penhale, W.J. *see* Greene, W.K.
Pérez, M. *see* Hagel, I.
Perlmann, P. *see* Ahlborg, N.
Perlmann, P. *see* Sjölander, A.
Petzke, M.M. *see* Knopf, P.M.
Phillips, R.S. *see* Brannan, L.R.
Phillips, R.S. *see* Taylor-Robinson, A.W.
Pink, J.R.L. *see* Süss, G.
Playfair, J.H.L. *see* Jakobsen, P.H.
Powell, M.R. & Wassom, D.L. Host genetics and resistance to acute *Trypanosoma cruzi* infection in mice. I. Antibody isotype profiles 215
Powell-Richards, A. *see* Shakib, F.
Prats, G. *see* Sánchez, F.
Preston, P.M., Brown, C.G.D., Entrican, G., Richardson, W. & Boid, R. Synthesis of tumour necrosis factor-alpha and interferons by mononuclear cells from *Theileria annulata*-infected cattle 525
Pritchard, D.I. Immunity to helminths: is too much IgE parasite- rather than host-protective? 5
Pritchard, D.I. *see* Brown, A.
Pritchard, D.I. *see* Shakib, F.
Pritchard, D.I., Kumar, S. & Edmonds, P. Soluble (s)CD23 levels in a parasitized population from Papua New Guinea 205

Ramaswamy, K. & Befus, D. Pulmonary immune responses to *Nippostrongylus brasiliensis*: isotype-specific antibodies in bronchoalveolar lavage fluids of rats 573
Ramaswamy, K. & Befus, D. Pulmonary inflammation and immune responses during the course of *Nippostrongylus brasiliensis* infection: lymphocyte subsets in bronchoalveolar lavage fluids of rats 281
Rappelli, P. *see* Fiori, P.L.

Rashid, J.R. *see* Kimani, G.
Richardson, B.A. *see* Dunne, D.W.
Richardson, W. *see* Preston, P.M.
Ridley, R.G. *see* Jakobsen, P.H.
Rigoni, V.L. *see* De Cassia Ruiz, R.
Riley, E.M., Morris-Jones, S., Blackman, M.J., Greenwood, B.M. & Holder, A.A. A longitudinal study of naturally acquired cellular and humoral immune responses to a merozoite surface protein (MSP1) of *Plasmodium falciparum* in an area of seasonal malaria transmission 513
Rivier, D., Shah, R., Bovay, P. & Mauel, J. Vaccine development against cutaneous leishmaniasis. Subcutaneous administration of radioattenuated parasites protects CBA mice against virulent *Leishmania major* challenge 75
Rivera, M.-T. *see* Araujo-Jorge, T.C.
Roberts, C.W. *see* Blackwell, J.M.
Robertson, C. *see* Authié, E.
Rojas, E. *see* Hagel, I.
Rose, M.E. *see* Wakelin, D.
Rossignol, P.A. *see* Bissonnette, E.Y.

Sánchez, F., Garcia, J., March, F., Cardeñosa, N., Coll, P., Muñoz, C., Auladell, C. & Prats, G. Ultrastructural localization of major hydatid fluid antigens in brood capsules and protoscoleces of *Echinococcus granulosus* of human origin 441
Sanmartin, M.L. *see* Iglesias, R.
Santamarina, M.T. *see* Iglesias, R.
Sasaki, O., Sugaya, H., Ishida, K. & Yoshimura, K. Ablation of eosinophils with anti-IL-5 antibody enhances the survival of intracranial worms of *Angiostrongylus cantonensis* in the mouse 349
Saul, A. *see* Lord, R.
Schweitzer, A.N., Swinton, J. & Anderson, R.M. Dynamic interaction between *Leishmania* infection in mice and Th1-type $CD4^+$ T-cells: complexity in outcome without a requirement for Th2-type responses 85
Seger, M., Gold, D., Lengy, J., Pauli, H. & Keisari, Y. The schistosomulicidal activity and the production of IL-1 and TNF-α by peritoneal macrophages from infected mice and their potentiation by muramyl tripeptide-phosphatidyl ethanolamine (MTP-PE) treatment 339
Shah, R. *see* Rivier, D.
Shakib, F., Pritchard, D.I., Walsh, E.A., Smith, S.J., Powell-Richards, A., Kumar, S. & Edmonds, P. The detection of autoantibodies to IgE in plasma of individuals infected with hookworm (*Necator americanus*) and the demonstration of a predominant IgG1 anti-IgE autoantibody response 47
Shaw, S.E. *see* Greene, W.K.
Shetty, N. *see* Hamelmann, B.
Shortman, K. *see* Venn, A.
Sileghem, M. *see* Flynn, J.N.
Sjölander, A., Hansson, M., Lövgren, K., Wåhlin, B., Berzins, K. & Perlmann, P. Immunogenicity in rabbits and monkeys in influenza ISCOMs conjugated with repeated sequences of the *Plasmodium falciparum* antigen Pf155/RESA 355
Sloan, T. *see* O'Malley, K.E.
Smith, S.J. *see* Shakib, F.
Smith, A.L. *see* Havercroft, J.C.
Smythies, L.E. *see* Pemberton, R.M.
Songa, E.B. *see* Magez, S.
Spencer, L. *see* Lord, R.
Stadecker, M.J. *see* Kanazawa, T.
Sugane, K. *see* Takamoto, M.
Sugaya, H. *see* Abe, T.
Sugaya, H. *see* Sasaki, O.
Sugimoto, C. *see* Zhuang, W.Z.
Süss, G., Matile, H., Meloen, R.H., Takacs, B. & Pink, J.R.L. Identifying polymorphic regions of the p190 protein from different *Plasmodium falciparum* strains by using specific T cells 127
Swinton, J. *see* Schweitzer, A.N.
Sztein, M.B. *see* Lopez, H.M.

Takacs, B. *see* Jakobsen, P.H.
Takacs, B. *see* Süss, G.
Takamoto, M. & Sugane, K. Mechanisms of eosinophilia in *Toxocara canis* infected mice: *In vitro* production of interleukin 5 by lung cells of both normal and congenitally athymic nude mice 493
Tanner, M.K. *see* Lopez, H.M.
Targett, G.A.T. *see* Motard, A.
Taverne, J. *see* Jakobsen, P.H.
Taylor, M.G. *see* Bushara, H.O.
Taylor-Robinson, A.W. & Phillips, R.S. Protective $CD4^+$ T-cell lines raised against *Plasmodium chabaudi* show characteristics of either Th1 and Th2 cells 301
Theodos, C.M. & Titus, R.G. Salivary gland material from the sandfly *Lutzomyia longipalpis* has an inhibitory effect on macrophage function *in vitro* 481
Thompson, R.C.A. *see* Greene, W.K.
Thorne, K.J.I. *see* Dunne, D.W.
Titus, R.G. *see* Theodos, C.M.
Trotten, F. *see* Bushara, H.O.
Trzyna, W.C. & Cordingley, J.S. *Schistosoma mansoni*: genetic non-response to p40, the major protein antigen of the egg, reveals a novel mechanism enhancing IgM production during infection 601
Turner, C.M.R. *see* McLintock, L.M.L.
Turrini, F. *see* Fiori, P.L.

Ubeira, F.M. *see* Iglesias, R.
Urquhart, G.M. *see* Britton, C.
Ushio, H., Watanabe, N., Kiso, Y., Higuchi, S. & Matsuda, H. Protective immunity and mast cell and eosinophil responses in mice infested with larval *Haemaphysalis longicornis* ticks 209

Venn, A., Fairbridge, D., Mason, T., Marbrook, J., Murray, L., Anders, R. & Shortman, K. Specificity variants in monoclonal antibodies reactive with peptide epitopes of

the ring-infected erythrocyte surface antigen (RESA) of *Plasmodium falciparum* 455
Venturiello, S.M., Giambartolomei, G.H. & Costantino, S.N. Immune killing of newborn *Trichinella* larvae by human leucocytes 559
Vickerman, K. *see* McLintock, L.M.L.
Vray, B. *see* Metz, G.

Wahid, F.N. & Behnke, J.M. Immunological relationships during infection with *Heligmosomoides polygyrus* (*Nematospiroides dubius*): parasite specific IgG1 antibody response and primary phenotype 401
Wahid, F.N. *see* Behnke, J.M.
Wåhlin Flyg, B. *see* Ahlborg, N.
Wåhlin, B. *see* Sjölander, A.
Wakelin, D., Rose, M.E., Hesketh, P., Else, K.J. & Grencis, R.K. Immunity to coccidiosis: genetic influences on lymphocyte and cytokine responses to infection with *Eimeria vermiformis* in inbred mice 11
Walsh, E.A. *see* Shakib, F.
Wassom, D.L. *see* Powell, M.R.
Wastling, J.M. *see* Oura, C.A.L.
Watanabe, N. *see* Ushio, H.
Watson, D.L. *see* Gill, H.S.
Williams, D.J.L. *see* Authié, E.
Wilson, R.A. *see* Pemberton, R.M.
Woolhouse, M.E.J. A theoretical framework for immune responses and predisposition to helminth infection 583

Yoshida, N. *see* De Cassia Ruiz, R.
Yoshimura, K. *see* Abe, T.
Yoshimura, K. *see* Sasaki, O.

Zevering, Y. *see* Good, M.F.
Zhuang, W.Z., Kubota, S., Sugimoto, C. & Onuma, M. Characterization of epitopes on a 32 kDa merozoite surface protein of *Theileria sergenti* 113